Steel fireplace KRATKI FLOKI M left 10 kW Ø 200

SKU: FLOKI/M/L EAN: 5903751242338



Technical data

General data

Version	**Corner left**
Nominal power (kW)	**10**
Heating power range (kW)	**7-13**
Thermal Efficiency (%)	**83.6**
Flue gas temperature (oC)	**235**
Max billet length (cm)	**50**
Minimum required active area of inlet grilles (cm2)	**500**
Minimum required active field of outlet grilles (cm2)	**700**
diameter of the flue gas outlet	**200**
Color	**Black**
CLOSING	**No**
Base material	**Steel**
Door opening	**Left**

Energetic efficiency

Energy class	**A+**
EEI	**111**
Seasonal Energy Efficiency (%)	**74**
Heat output for space heating (kW)	**10**
CO emission (at 13% O2) ≤ given in %	**0.082**
CO emission (mg/m3)	**1033**
Pollen emission (mg/m3)	**28**
NOx emission (mg/m3)	**135**
OGC emission (mg/m3)	**74**
Flue gas mass flow (g/s)	**9**

Certifications / Compliance


Certificates	**Ecodesign, Designed for recuperation, BImSchV 2**

Additional information

Equipment	**Air intake - built in , Ashpan, Combustion chamber lining, Decorative glass**
FRONT	**Steel front with painted glass**
Fuel type	**Seasoned deciduous wood (humidity ≤20%)**
EAN	**5903751242338**

Physical parameters

Width (cm)	**79.9**
Height (cm)	**120.4**
Depth (cm)	**49.4**
Weight (kg)	**154.54**


70
1102
494
234
456
70
980
1204
Ø123
13 - 125
725
Ø197
333
70
290
322
457
393
799